

americanshaman
 Order No.: OFLASM0115-0011536
 2405 Southwest Blvd
 Missouri, 64108
 8554272233

Sample: SFLASM0115-TLOT-0003449
 Unit Weight: 240.0000g, Sample Size for Testing: 1.0000 Containers
 Batch#: 80008871
MMTC Information
 Cultivation Facility: , Processing Facility:

Hydrating body lotion - unscented
 Topical, Lotion



Results

141 mg/unit
 CBD

141 mg/unit
 Total CBD

141 mg/unit
 Total Cannabinoids

0 mg/unit
 Total THC

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Tested	Foreign Matter Pass	Homogeneity Not Tested
Terpenes Not Tested	Contaminant Load Not Tested	Residual Solvents Pass
Mycotoxins Pass	Heavy Metals Pass	Pesticides Pass
Label Claim Not Tested		

K'hari Leno
 Sr. Lab Supervisor



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0115-0011536
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0115-TLOT-0003449
Unit Weight: 240.0000g , Sample Size for Testing: 1.0000 Containers
Batch#: 80008871
MMTC Information
Cultivation Facility: , Processing Facility:

Hydrating body lotion - unscented
Topical, Lotion



Cannabinoids

Tested

Sample Prep

Tech: 3358, 4509
SOP: SOP 801
Batch Number: WCNDFL-FL0203-0005654
Batch Date: 02/03/2026 16:20

Sample Analysis

Date/Time: 02/04/2026 15:47
Tech: 4509
SOP: SOP 801
Instrument: HPLC - 3013
Final Weight: 0.211 g
Dilution Factor for Sample: 40

Analyte	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDV	0.00190	0.09497	ND	ND	ND
CBDa	0.01443	0.09497	ND	ND	ND
CBGa	0.00714	0.09497	ND	ND	ND
CBG	0.01554	0.09497	ND	ND	ND
CBD	0.02640	0.09497	0.0587	0.587	141
THCV	0.00615	0.09497	ND	ND	ND
THCVa	0.00513	0.09497	ND	ND	ND
CBN	0.00279	0.09497	ND	ND	ND
D9-THC	0.01375	0.09497	ND	ND	ND
D8-THC	0.01597	0.09497	ND	ND	ND
CBC	0.01028	0.09497	ND	ND	ND
THCa	0.01569	0.09497	ND	ND	ND
CBCa	0.02604	0.09497	ND	ND	ND
Total CBD			0.0587	0.587	141
Total THC			0.00	0.00	0.00
Total Cannabinoids			0.0587	0.587	141



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0115-0011536
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0115-TLOT-0003449
Unit Weight: 240.0000g, Sample Size for Testing: 1.0000 Containers
Batch#: 80008871
MMTC Information
Cultivation Facility: , Processing Facility:

Hydrating body lotion - unscented
Topical, Lotion



Microbials

Pass

Sample Prep

Tech: 4302
SOP: SOP 406-FL
Batch Number: WINCFL-FL0127-0003311
Batch Date: 01/27/2026 17:28

Sample Analysis

Date/Time: 01/31/2026 21:34
Tech: 4516, 4302
SOP: SOP 406-FL
Instrument: AriaMx Real-Time PCR System - 2958
Final Weight: 2.03 g
Dilution Factor for Sample: 10

Analyte	Limit (CFU/g)	Result	Status
Yeast & Mold	100,000	ND	Passed
Salmonella	1	Absence	Passed
Aspergillus Flavus	1	Absence	Passed
Aspergillus Fumigatus	1	Absence	Passed
Aspergillus Niger	1	Absence	Passed
Aspergillus Terreus	1	Absence	Passed
STEC E. Coli	1	Absence	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0115-0011536
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0115-TLOT-0003449
Unit Weight: 240.0000g , Sample Size for Testing: 1.0000 Containers
Batch#: 80008871
MMTC Information
Cultivation Facility: , Processing Facility:

Hydrating body lotion - unscented
Topical, Lotion



Water Activity

Tested

Sample Prep

Tech: 4513
SOP: SOP 407-FL
Batch Number: WMWAFI-FL0208-0005933
Batch Date: 02/07/2026 19:34

Sample Analysis

Date/Time: 02/07/2026 20:11
Tech: 4509
SOP: SOP 407-FL
Instrument: Rotronic Water Activity Meter - 3120
Final Weight: 1.044 g

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	0.97	Tested



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0115-0011536
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0115-TLOT-0003449
Unit Weight: 240.0000g , Sample Size for Testing: 1.0000 Containers
Batch#: 80008871
MMTC Information
Cultivation Facility: , Processing Facility:

Hydrating body lotion - unscented
Topical, Lotion



Foreign Matter Sample Prep/Analysis

Tech: 4302
SOP: SOP 409-FL
Batch Date: 01/24/2026 18:32

Pass

Analyte

FM

Result

Absent



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0115-0011536
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0115-TLOT-0003449
Unit Weight: 240.0000g , Sample Size for Testing: 1.0000 Containers
Batch#: 80008871
MMTC Information
Cultivation Facility: , Processing Facility:

Hydrating body lotion - unscented
Topical, Lotion



Residual Solvents

Pass

Sample Prep

Tech: 3358, 4509
SOP: SOP 405-FL
Batch Number: WRSVFL-FL0128-0004111
Batch Date: 01/27/2026 20:45

Sample Analysis

Date/Time: 02/02/2026 15:28
Tech: 4509
SOP: SOP 405-FL
Instrument: GCMS-HS - 3015
Final Weight: 0.11 g
Dilution Factor for Sample: 1

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0.7	1.0	2.0	ND	Passed
Acetone	2.0	20.0	750.0	ND	Passed
Acetonitrile	2.0	20.0	60.0	ND	Passed
Benzene	0.2	0.4	1.0	ND	Passed
Butane	10.0	20.0	5,000.0	ND	Passed
Chloroform	0.2	0.4	2.0	ND	Passed
Ethanol	20.0	40.0	5,000.0	ND	Passed
Ethyl Acetate	2.0	20.0	400.0	ND	Passed
Ethyl Ether	20.0	40.0	500.0	ND	Passed
Ethylene Oxide	0.7	2.0	5.0	ND	Passed
Heptane	20.0	40.0	5,000.0	ND	Passed
Hexanes	4.0	8.0	250.0	ND	Passed
Isopropyl Alcohol	20.0	40.0	500.0	403	Passed
Methanol	20.0	40.0	250.0	ND	Passed
Methylene Chloride	20.0	40.0	125.0	ND	Passed
Pentanes	6.7	13.3	750.0	ND	Passed
Propane	2.0	20.0	5,000.0	ND	Passed
Toluene	2.0	20.0	150.0	ND	Passed
Trichloroethylene	1.0	2.0	25.0	ND	Passed
Total Xylenes	5.0	10.0	150.0	ND	Passed
1,1-Dichloroethene	0.7	2.0	8.0	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0115-0011536
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0115-TLOT-0003449
Unit Weight: 240.0000g, Sample Size for Testing: 1.0000 Containers
Batch#: 80008871
MMTC Information
Cultivation Facility: , Processing Facility:

Hydrating body lotion - unscented
Topical, Lotion



Mycotoxins

Pass

Sample Prep

Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0203-0004012
Batch Date: 02/03/2026 16:22

Sample Analysis

Date/Time: 02/04/2026 15:46
Tech: 4509
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2894
Final Weight: 0.101 g
Dilution Factor for Sample: 2.5

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	1.986	9.931	20.000	ND	Passed
B2	1.986	9.931	20.000	ND	Passed
G1	1.986	9.931	20.000	ND	Passed
G2	1.986	9.931	20.000	ND	Passed
Ochratoxin A	1.986	9.931	20.000	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0115-0011536
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0115-TLOT-0003449
Unit Weight: 240.0000g, Sample Size for Testing: 1.0000 Containers
Batch#: 80008871
MMTC Information
Cultivation Facility: , Processing Facility:

Hydrating body lotion - unscented
Topical, Lotion



Heavy Metals

Pass

Sample Prep

Tech: 4518
SOP: SOP 428-FL
Batch Number: WMTLFL-FL0203-0004214
Batch Date: 02/03/2026 17:08

Sample Analysis

Date/Time: 02/05/2026 16:37
Tech: 4509
SOP: SOP 428-FL
Instrument: ICP-MS - 2837
Final Weight: 0.227 g
Dilution Factor for Sample: 50

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	20.100	100.000	1,500.000	ND	Passed
Cadmium	20.100	100.000	500.000	ND	Passed
Mercury	20.100	100.000	3,000.000	ND	Passed
Lead	20.100	250.000	500.000	< LOQ	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0115-0011536
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0115-TLOT-0003449
Unit Weight: 240.0000g, Sample Size for Testing: 1.0000 Containers
Batch#: 80008871
MMTC Information
Cultivation Facility: , Processing Facility:

Hydrating body lotion - unscented
Topical, Lotion



Pass

Pesticides

Sample Prep

Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0203-0004012
Batch Date: 02/03/2026 16:22

Sample Analysis

Date/Time: 02/04/2026 15:46
Tech: 4509
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2894 / GC-MS/MS - 3005
Final Weight: 0.618 g
Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.009	0.022	0.300	ND	Passed
Acephate	0.010	0.025	3.000	ND	Passed
Acequinocyl	0.010	0.025	2.000	ND	Passed
Acetamiprid	0.002	0.010	3.000	ND	Passed
Aldicarb	0.005	0.020	0.100	ND	Passed
Azoxystrobin	0.002	0.010	3.000	ND	Passed
Bifenazate	0.002	0.010	3.000	ND	Passed
Bifenthrin	0.002	0.025	0.500	ND	Passed
Boscalid	0.010	0.050	3.000	ND	Passed
Carbaryl	0.005	0.010	0.500	ND	Passed
Carbofuran	0.002	0.010	0.100	ND	Passed
Chlorantraniliprole	0.002	0.010	3.000	ND	Passed
Chlorpyrifos	0.010	0.025	0.100	ND	Passed
Clofentezine	0.010	0.025	0.500	ND	Passed
Coumaphos	0.010	0.050	0.100	ND	Passed
Cyfluthrin	0.010	0.100	1.000	ND	Passed
Cypermethrin	0.010	0.100	1.000	ND	Passed
Daminozide	0.010	0.025	0.100	ND	Passed
Diazinon	0.002	0.010	0.200	ND	Passed
Dichlorvos	0.010	0.025	0.100	ND	Passed
Dimethoate	0.002	0.010	0.100	ND	Passed
Dimethomorph	0.003	0.011	3.000	ND	Passed
Ethoprophos	0.002	0.010	0.100	ND	Passed
Etofenprox	0.002	0.010	0.100	ND	Passed
Etoxazole	0.002	0.010	1.500	ND	Passed
Fenhexamid	0.010	0.050	3.000	ND	Passed
Fenoxycarb	0.002	0.010	0.100	ND	Passed
Fenpyroximate	0.005	0.020	2.000	ND	Passed
Fipronil	0.002	0.010	0.100	ND	Passed
Flonicamid	0.005	0.020	2.000	ND	Passed
Fludioxonil	0.005	0.010	3.000	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

americanshaman
Order No.: OFLASM0115-0011536
2405 Southwest Blvd
Missouri, 64108
8554272233

Sample: SFLASM0115-TLOT-0003449
Unit Weight: 240.0000g , Sample Size for Testing: 1.0000 Containers
Batch#: 80008871
MMTC Information
Cultivation Facility: , Processing Facility:

Hydrating body lotion - unscented
Topical, Lotion



Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Hexythiazox	0.005	0.020	2.000	ND	Passed
Imazalil	0.010	0.025	0.100	ND	Passed
Imidacloprid	0.025	0.124	3.000	ND	Passed
Kresoxim Methyl	0.005	0.010	1.000	ND	Passed
Malathion	0.020	0.050	2.000	ND	Passed
Mevinphos	0.009	0.022	0.100	ND	Passed
Metalaxyl	0.002	0.010	3.000	ND	Passed
Methiocarb	0.002	0.010	0.100	ND	Passed
Methomyl	0.002	0.010	0.100	ND	Passed
Myclobutanil	0.005	0.025	3.000	ND	Passed
Naled	0.020	0.025	0.500	ND	Passed
Oxamyl	0.002	0.010	0.500	ND	Passed
Paclobutrazol	0.002	0.010	0.100	ND	Passed
Permethrin	0.010	0.025	1.000	ND	Passed
Phosmet	0.005	0.025	0.200	ND	Passed
Piperonyl Butoxide	0.002	0.010	3.000	ND	Passed
Prallethrin	0.010	0.025	0.400	ND	Passed
Propiconazole	0.010	0.025	1.000	ND	Passed
Propoxur	0.002	0.010	0.100	ND	Passed
Pyrethrins	0.033	0.066	1.000	ND	Passed
Pyridaben	0.002	0.010	3.000	ND	Passed
Spinetoram	0.007	0.018	3.000	ND	Passed
Spinosyn AD	0.010	0.042	3.000	ND	Passed
Spiromesifen	0.002	0.010	3.000	ND	Passed
Spirotetramat	0.005	0.025	3.000	ND	Passed
Spiroxamine	0.002	0.010	0.100	ND	Passed
Tebuconazole	0.010	0.025	1.000	ND	Passed
Thiacloprid	0.002	0.010	0.100	ND	Passed
Thiamethoxam	0.002	0.010	1.000	ND	Passed
Trifloxystrobin	0.002	0.010	3.000	ND	Passed
Captan	0.010	0.100	3.000	ND	Passed
Methyl Parathion	0.010	0.020	0.100	ND	Passed
Chlordane	0.010	0.020	0.100	ND	Passed
Chlorfenapyr	0.010	0.020	0.100	ND	Passed
Chlormequat Chloride	0.002	0.010	3.000	ND	Passed
Pentachloronitrobenzene	0.010	0.050	0.200	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.